### **ASCI Academia Strategic Alliances Program**


### Research Interests in Computer Systems and Computational and Computer Science Infrastructure

Presented at Pre-Proposal Conference December 5, 1996

By
Dona Crawford
Director, Distributed Information Systems
Sandia National Laboratories



# ASCI success requires balanced growth of simulation components driven by the need for improved application performance





## Our Applications Require Balanced Systems (Scale by 10<sup>5</sup>)

#### For every 1 GigaFLOP peak performance, we need:

- 1 Gigabyte memory size
- 50 Gigabyte disk storage
- 10 Terabytes archival storage
- 16 Gigabyte per second cache bandwidth
- 3 Gigabyte per second memory bandwidth
- 0.1 Gigabyte per second I/O bandwidth
- 0.01 Gigabyte per second disk bandwidth.
- 1 Megabyte/second archival storage bandwidth



### Capacity and Performance

#### Balance or Bottleneck

Processors	Kiloflops	Megaflops	Gigaflops	Teraflops
Archive	Megabyte	Gigabyte	Terabyte	Petabyte
Network /sec	Kilobit	Megabit	Gigabit	Terabit
Memory Size	Kilobyte	Megabyte	Gigabyte	Terabyte
Calculations	1-D	2-D	3-D	Multi- Dimensions
	1970's	1980's	1990's	Year 2000

# ASCI Hardware Requirements and Technology Trends

Level	Effective Latency (CPU cycles)	Bandwidth (Random read/write)	Size		Primary investment priority	
On-chip cache**, L1	2-3	16-32 B/cycle	10 <sup>-4</sup> B/flop *		Secondary	
Off-chip cache**, L2 (SRAM)	5-6	16 B/cycle	10 <sup>-2</sup> B/flop *		investment priority	
Local main memory (DRAM)	30-80 (15-30)	2-8 B/flop pk (2-8 B/flop sustained)	1 B/flop	Compute engine	1996-1998 Situation	
"nearby nodes"	300-500 <sub>1</sub> (30-50)	1-8 B/flop (8 B/flop)	1 B/flop ●	Interconnect	(1998-2000 Requirements	
"far away nodes"	1000 (100-200)	1 B/flop (1 B/flop)	1 B/flop ●		Industry Trend	
I/O (memory disk)	10 ms	0.01-0.1 B/flop	10-100 B/flop ●		Industry gets better at meeting	
Archive (disk-tape)	Seconds	10 <sup>-4</sup> B/flop (0.001-0.01 B/flop)	10 <sup>2</sup> B/flop 10 <sup>4</sup> B/flop		requirements Industry gets	
User access	1/10 s (1/60 s)	OC3/desktop (OC12-48 /desktop)	100 users		worse at meeting requirements	
Multiple sites	1/10 s	•	•		Industry continues	
to meet required.  ** Cacheless systems with equivalent performance are fully acceptable.						

# ASCI Software Requirements and Technology Trends

	Security	Scalability	Functionality & Performance	Portability	
Human/Computer Interface Visualization Internet technology	<b>Δ</b>	<b>♦</b> Δ	Visualization $\bigwedge$	<b>A</b> •	
Application Environment  — mathematical algorithms  — mesh generation  — domain decomposition  — scientific data management	<b>4</b> •	<b>♦</b> Δ	<b>↓</b> Δ	$\blacktriangle \Delta$	Industry meeting requirement Shdustry not meeting requirement s Requirements stay the same  Requirements increase
Programming Environment  — programming model  — libraries  — compilers  — debuggers  — performance tools  — object technologies	<b>↓</b> ∆	<b>♦</b> Δ	<b>↓</b> Δ	<b>↓</b> ∆	
Distributed Operating software — I/O — file systems — storage systems — reliability — network, comm systems — systems admin — distributed resource mgmt	<b>♦</b> Δ	<b>♦</b> Δ	<b>♦</b> Δ	<b>↓</b> ∆	Primary investment priority  Secondary investment priority
Diagnostics performance Monitors — systems health — state	<b>A</b> •	<b>↓</b> ∆	<b>A</b> •	<b>V</b> •	

## **Example Hardware and Architecture Research Areas**

- High Speed Interconnects
  - Order 10000 + cpu required
  - Congestion and bandwidth will likely cause current technology not to scale to this size
  - Create the illusion of shared memory
- WAN/LAN High Speed Networking
  - Gbs WANs/Tbs LANs
  - High Speed Encryption



### **Example Hardware Research Areas**

- Storage Technology
  - Exabyte quantities of data will be stored
  - 100's of Gbs bandwidth to storage
    - Scalable network attached peripherals
    - RAIDs/RAITs
  - New Storage Technologies



#### Visualization


- Scalable parallel visualization methods for terascale datasets
- Hierarchical methods for representation and visualization techniques
- Data-mining techniques for feature localization within the terascale data sets
- Immersive visualization augmented by quantitative analysis capability
- Integration with data archiving, retrieval, and analysis systems



- Computational Mathematics and Algorithms
  - Problem and Mesh Generation; Domain Decomposition
  - Scalable numerical methods and code frameworks are needed to enable terascale scientific simulations
  - Preconditioned iterative methods for sparse linear systems of equations
  - Methods for large systems of nonlinear equations
  - Methods for time-dependent differential equations, including ODEs, PDEs, and DAEs
  - Parallel adaptive mesh refinement libraries
  - Flexible frameworks for building codes
  - Application-aware communication routines and object classes

## New algorithms have yielded greater reductions in solution time than hardware improvements

#### **Gaussian Elimination/CDC 3600**



- Programing Models/Compilers and Debuggers
  - Message passing (MPI) everywhere
  - Standard language extensions or compiler directives for shared memory parallelism, message passing for distributed,
  - Explicit threads for shared, message passing for distributed,
  - High level language constructs (HPF, HPC++, etc.)
  - Multilevel memory model

High level programming models and abstractions are required that facilitate code reuse, reduce code complexity, and abstract away low level details necessary to achieve performance on a particular architecture.

- Development Tools that scale to thousands of processes
  - Scalable parallel debuggers
  - Static analyzers
  - CASE tools
  - Verification and validation of the simulation results
  - Tools that work in a distributed environment
  - Tools to evaluate the performance and scalability

Performance measurement, debugging, quality control, verification, and validation of codes becomes increasingly difficult as code size and complexity increases.



- Distributed Scalable Operating Systems Software
  - Scalable, transparent parallel I/O (end-end: applications to tertiary storage)
  - Distributed file systems; archival storage systems
  - Operating systems will have to control single machine usage and parallel usage spread over many machines and across sites
  - Mechanisms for efficient thread creation, scheduling, and destruction (millions of threads)
  - Support the transparent creation, use, and maintenance of distributed applications in a heterogeneous computing environment

Research is needed on both operating and programming system environments that provide services and tools to support the transparent creation, use, and maintenance of distributed applications in a heterogeneous computing environment.



### Integration, Integration, Integration

 It is expected that proposals will be developed that address the full range of tera-scale computing issues (Physical Science, Computational Science, Computer Science)

